



RIFLESCOPES & ATTACHMENTS



FIREFIELD RIFLESCOPES

FF13022

1-6X30 1ST FOCAL PLANE ILLUMINATED RIFLESCOPE

Reticle color & type	Red/green mil-dash reticle
Magnification & objective diameter	1-6x30
Field of view, ft @100 yds	100.4-16.7ft
Dimensions	250mm x 68mm x 55mm
Battery type	CR2032
Weight	20.1oz

Accessories

- Mount rings
- Lens cloth
- Flip up lens caps



Mil-Dash



ITEMFEATURES

- IPX4 waterproof
- 1-6x magnification
- 1/2" MOA adjustments
- Red/Green reticle illumination

FF13023

3X30 COMBAT SIGHT

Reticle color & type	Red/green duplex reticle
Magnification & objective diameter	3x30mm
Field of view, ft @100 yds	94.5ft
Dimensions	148mm x 66mm x 74mm
Battery type	CR2032
Weight	17.20oz

Accessories

- Lens cloth



Duplex



ITEMFEATURES

- Fog proof
- IPX4 waterproof
- 3x optical prism sight
- 1/4" MOA adjustment
- Quick target acquisition

LASER RIFLESCOPES

FF13011

2.5-10X40 RED LASER RIFLESCOPE

Reticle color & type	Red/green mil-dot reticle
Magnification & objective diameter	2.5x-10x, 40mm
Field of view, ft @100 yds	34.86-11.53ft
Dimensions	215mm x 88mm x 80mm
Battery type	CR2032/2xAG13
Weight	18.60oz

Accessories

- Lens cloth
- 1 set of batteries



Mil-Dot

ITEM FEATURES

- Adjustable side mounted red laser
- 2.5-10x magnification
- 100yd to 500yd .223 bullet drop compensator



GO GREEN WITH FIREFIELD

Firefield green lasers amp up your arsenal, providing over a hundred yards of shooting precision during the day and miles of targeting distance at night.



FF13014

2.5-10X40 GREEN LASER RIFLESCOPE

Reticle color & type	Red/green mil-dot reticle
Magnification & objective diameter	2.5-10, 40mm
Field of view, ft @100 yds	34.86-11.53ft
Dimensions	215mm x 88mm x 80mm
Battery type	CR2032/CR2
Weight	20.50oz

Accessories

- Lens cloth
- 1 set of batteries



Mil-Dot

ITEMFEATURES

- Mil-dot reticle
- IPX4 waterproof
- 2.5-10x magnification
- Red/Green illumination
- Built-in 5Mw green Laser
- 100 yd to 500 yd .223 bullet drop compensation



FF13017

1.5-5X32 GREEN LASER RIFLESCOPE

Reticle color & type	Red/green duplex
Magnification & objective diameter	1.5x-5x, 32mm
Field of view, ft @100 yds	42-14.7ft
Dimensions	210mm x 80mm x 72mm
Battery type	CR2032/CR2
Weight	31.70oz

Accessories

- Lens cloth
- 1 set of batteries



Duplex

ITEMFEATURES

- Duplex IR reticle
- Illuminated central crosshairs
- Adjustable side mounted laser



TACTICAL RIFLESCOPES



FFI3013
TACTICAL 4X32
RIFLESCOPE



FFI3018
TACTICAL 3-12X40 AO
RIFLESCOPE



FFI3020
TACTICAL 4-16X42 AO
RIFLESCOPE



FFI3021
TACTICAL 8-32X50 AO
RIFLESCOPE



FFI3019
TACTICAL 10-40X50 AO
RIFLESCOPE

SPECIFICATIONS FOR TACTICAL RIFLESCOPES

Model	Reticle Color	Magnification, x	Field of view, ft @100 yds	Battery type
FFI3013	Black	4x	26.10ft	No battery
FFI3018	Red/green	3-12x	39.30 - 13.10ft	CR2032
FFI3019	Red/green/black	10-40x	25.00 - 6.00ft	CR2032
FFI3020	Red/green	4-16x	26.20 - 6.98ft	CR2032
FFI3021	Red/green	8-32x	13.10 - 3.49ft	CR2032

ULTIMATE WEATHER PROTECTION

Maximum portability and durability, so every adrenaline-filled moment is intensified.



Firefield riflescopes work as low as -4° fahrenheit.



Heat protection up to 140° fahrenheit for all riflescopes.



All Firefield riflescopes have a water proof rating of IPX4.



Firefield riflescopes are fog and shock proof.

MAGNIFIERS



FF19020
3x tactical magnifier



FF19021
5x tactical magnifier



FF19022
7x tactical magnifier

SPECIFICATIONS FOR MAGNIFIERS

Model	Magnification, x	Objective, mm	Field of view, degrees°
FF19020	3x	29mm	7.5°
FF19021	5x	29mm	6.0°
FF19022	7x	32mm	5.0°

RAILS AND MOUNTS

SPECIFICATIONS FOR MOUNTS, RAILS, AND CLAMPS

FF34001	Carbine 6.7in quad rail (2 piece)
FF34003	Carbine 12in quad rail clamp
FF34004	Carbine 6.9in free floating quad rail
FF34005	Rifle 10.25in free floating quad rail
FF34006	Carbine 12.25in free floating quad rail w/front sight cutout
FF34008	AK 8.65in quad clamp
FF34021	AK mount
FF34041	Slim rail cover quad pack 4-7in



REFLEX SIGHTS

FF26001

MICRO REFLEX SIGHT

Reticle type	3 MOA dot
Reticle color	Red
Objective lens diameter(mm)	23x16mm
Field of view (ft@100yd)	51.5ft
Windage/elevation MOA	1
Battery type	CR2032

Accessories

- Lens cloth
- Adjustment tools
- 1x battery

3 MOA dot

ITEMFEATURES

- Compact size
- Red illumination
- Unlimited eye relief
- 1 MOA adjustment (continous)
- Compact size



FF26002

CLOSE COMBAT RED AND GREEN DOT SIGHT

Reticle type	3 MOA dot
Reticle color	Red/green
Objective lens diameter(mm)	27mm
Field of view (ft@100yd)	57ft
Windage/elevation MOA	1
Battery type	2xLR44 or 2xAG13

Accessories

- Mount
- Lens cloth
- Flip up lens cap
- 1x battery

3 MOA dot





ITEMFEATURES

- Red/Green illumination
- unlimited eye relief
- 1 MOA adjustment
- IPX4 waterproof



FFI3004

MULTI REFLEX SIGHT WITH RED AND GREEN RETICLE


Reticle type	4 patterns		
Reticle color	Red/green		
Objective lens diameter(mm)	33x24mm		
Field of view (ft@100yd)	105ft		
Windage/elevation MOA	1		
Battery type	CR2032		
			
Circle cross-hair	Cross-hair	Circle-dot	3 MOA dot

Accessories

- Adjustment tools
- Rubber lens cover
- 1x battery

FFI3025

KEMPER XL MACHINE GUN REFLEX SIGHT

Reticle type	BDC circle-dot		
Reticle color	Red/green		
Objective lens diameter(mm)	66x55mm		
Field of view (ft@100yd)	210ft		
Windage/elevation MOA	1		
Battery type	CR2032		
			
	BDC circle-dot		

Accessories

- Lens cloth
- 1x battery

ITEMFEATURES

- Quick & accurate target acquisition
- Compact & durable
- Choice of 4 reticle patterns
- Red or green reticle option
- Unlimited eye relief
- Adjustable reticle brightness



ITEMFEATURES

- Large objective lens window
- Adjustable reticle brightness
- Quick target acquisition
- Unlimited eye relief
- Large field of view



LASER SIGHTS & FLASHLIGHTS



EXTERNAL ADJUSTABLE LASERS

FFI3030K

XYHandAdjustableGreenLaserSight

Laser power output (mW)	<5mW
Dot size (in @100yd)	4in
Visibility-day (yd)	100yd
Visibility-night (yd)	1760yd
Battery type	CR123A
Body Material	Aluminum
Mount type	Weaver & Barrel

Accessories

- 1x Battery
- Weaver mount
- Pressure pad
- Barrel mount
- Calibration tools

ITEMFEATURES

- Quick target acquisition
- 1 mile visibility at night
- Durable aluminum housing
- Up to 100 yards in daylight
- Tactical on/off pressure pad
- Lightweight, compact and shockproof
- External windage/elevation adjustments



FFI3031K

XYHandAdjustableRedLaserSight

Laser power output (mW)	<5mW
Dot size (in @100yd)	2in
Visibility-day (yd)	20yd
Visibility-night (yd)	300yd
Battery type	CR123A
Body Material	Aluminum
Mount type	Weaver

Accessories

- 1x Battery
- Weaver mount
- Pressure pad
- Barrel mount
- Calibration tools

ITEMFEATURES

- Tactical on/off pressure pad
- External hand adjustable
- Windage/elevation knobs
- Quick target acquisition
- Durable aluminum housing
- Compact and lightweight



PISTOL LASERS



All Firefield laser sights have an output power of <math><5\text{mW}</math>



FFI3032
GreenCompact
Laser sight



FFI3038
Mini red laser
pistol sight



FFI3039
miniredlaserw/pistol
trigger guard mount

SPECIFICATIONS FOR PISTOL LASER SIGHTS

Model	Laser wavelength (nm)	Dot size	Visibility-day (yd)	Visibility-night (yd)	Battery type
FFI3032	532nm	2 (in @100yd)	50yd	600yd	2x CR1/3N
FFI3038	632nm	2 (in @100yd)	20yd	300yd	3x LR-44
FFI3039	632nm	2 (in @100yd)	20yd	300yd	3x LR-44

COMBO LASERS



FFI3040
Mini Red Laser
w/Barrel Rifle Mount



FFI3036K
combogreenlaserw/
barrel&weavermount



FFI3041K
combo red laser w/
barrel&weavermount

SPECIFICATIONS FOR COMBO LASER SIGHTS

Model	Laser wavelength (nm)	Dot size	Visibility-day (yd)	Visibility-night (yd)	Battery type
FFI3040	632nm	2 (in @100yd)	20yd	300yd	3x LR-44
FFI3036K	532nm	2 (in @100yd)	100yd	1,760yd	CR123A
FFI3041K	632nm	2 (in @100yd)	20yd	300yd	CR123A

FIREFIELD FLASHLIGHTS

FF23011

Tactical Pistol Flashlight

Bulb type	White LED
Output	120 lumens
Battery type	1xCR123A
Battery Life	20 hours
Waterproof rating	IPX4



FF21001K

Tactical Shotgun Flashlight

Bulb type	Cree P4
Output	120 lumens
Battery type	1xCR123A
Battery Life	3 hours
Waterproof rating	IPX4



LASERBORESIGHTS

FirefieldBORESIGHTcollection

FF39001	.223 rem
FF39002	7.62x39
FF39003	.30-06 Spr, .270 win, .25-06 win
FF39004	7mm rem mag, .338 win, .264 win
FF39005	.308 win, 243 win, 7mm-08, .260 rem, .358 win
FF39007	12 gauge



FIREFIELD DAYTIME OPTICS



SPOTTING SCOPES

FF11018K

20-60X60SE SPOTTING SCOPE KIT

Magnification	20-60x
Objective lens diameter	60
Field of view (ft @1000yds)	110-57ft

Accessories

- Adjustable tripod
- Carrying case



ITEMFEATURES

- BaK4 prism
- Nitrogen purged
- Durable construction
- Multi-coated optics

FF11016K

12-36X50SE SPOTTING SCOPE KIT

Magnification	12-36x
Objective lens diameter	50
Field of view (ft @1000yds)	149-73ft

Accessories

- Adjustable tripod
- Nylon carrying case



ITEMFEATURES

- BaK4 prism
- Nitrogen purged
- Durable construction
- Multi-coated optics

SPOTTING SCOPES

FF11011K

FIREFIELD 20X50 SPOTTING SCOPE KIT

Magnification	20x
Objective lens diameter	50mm
Field of view (ft @1000yds)	168

Accessories

- Lens cloth

ITEM FEATURES

- BaK4 prism
- Nitrogen purged
- Durable construction
- Multi-coated optics



SEE NATURAL BEAUTY LIKE NEVER BEFORE

No matter what trophy you are chasing, Firefield spotting scopes and binoculars capture every detail, allowing the user to zoom in, magnifying the impressive beauty of his or her surroundings.



No magnification



36x magnification

BINOCULARS

FFI2001 7x50Sortiewithrangefindingreticle

Magnification	7x
Field of view, ft @ 100yd	39.6ft
Type of prism	Porro
Ranger finder	Yes
Eye relief	21.8mm



FFI2002 LM10x42Binocular

Magnification	10x
Field of view, ft @ 100yd	27.3ft
Type of prism	Roof
Ranger finder	No
Eye relief	10mm



FFI2020 10x42Binocular

Magnification	10x
Field of view, ft @ 100yd	30.5ft
Type of prism	Roof
Ranger finder	No
Eye relief	14mm



FFI2012 10x50 Porro Binocular

Magnification	10x
Field of view, ft @ 100yd	36.7ft
Type of prism	Porro
Ranger finder	No
Eye relief	12.7mm



FIREFIELD NIGHT VISION



NIGHT VISION MONOCULARS

FF24061

NIGHTFALL 2X24 NIGHT VISION MONOCULAR

Magnification & lens diameter	2x, 24mm
Resolution, lines per mm	36mm
Field of view, m@100m	54m
Range of detection, m	120m
Battery type	2xAAA
Weight	9.80oz

Accessories

- Carrying case
- Lens cloth

ITEMFEATURES

- Ergonomic design
- High quality image and resolution
- 1/4" socket for tripod mounting
- Lightweight and durable design
- High power built-in infrared illumination



FF24063

NIGHTFALL 4X50 NIGHT VISION MONOCULAR

Magnification & lens diameter	4x, 50mm
Resolution, lines per mm	36mm
Field of view, m@100m	26.5m
Range of detection, m	120m
Battery type	2xAAA
Weight	21.10oz

Accessories

- Carrying case
- Lens cloth

ITEMFEATURES

- Ergonomic design
- High quality image and resolution
- 1/4" socket for tripod mounting
- Lightweight and durable design
- High power built-in infrared illumination



DIGITAL NIGHT VISION

FF18062

NIGHTFALL 3.5X42 DIGITAL MONOCULAR

Magnification & lens diameter	3.5x, 42mm
Resolution, lines per mm	34mm
Field of view, m@100m	8.8m
Range of detection, m	100m
Battery type	1xCR123A
Weight	13.40oz

ITEM FEATURES

- Easy-to-use design
- Built-in IR illuminator
- Compact and lightweight
- Durable, rubber armor body
- Long range viewing capabilities
- High resolution digital images

Accessories

- Carrying case
- Lens cloth



MANY USES OF FIREFIELD NIGHT VISION

The ultimate experience no matter what activity the shooter is involved in.



SWAT, police, or military training



Practical for tactical night time training



Neighborhood and home defense



Control varmint populations

FF18063

NIGHTFALL 5X50 DIGITAL MONOCULAR

Magnification & lens diameter	5x, 50mm
Resolution, lines per mm	34mm
Field of view, m@100m	7m
Range of detection, m	140m
Battery type	1xCR123A
Weight	14.10oz

Accessories

- Carrying case
- Lens cloth

ITEM FEATURES

- Easy-to-use design
- Built-in IR illuminator
- Compact and lightweight
- Durable, rubber armor body
- Long range viewing capabilities
- High resolution digital images



MANY USES OF FIREFIELD NIGHT VISION

Firefield digital night vision has the advantage of day time use without damaging the unit.



Daytime use



Night time use



Go to our website: www.fire-field.com | Like us on facebook: www.facebook.com/OfficialFirefield | Follow us on Twitter: www.twitter.com/firefieldtm